

ANPING LINKLAND

WIRE MESH PRODUCT CO., LTD



Corral Panels

CATALOG

2020/01



Tel: 0086 311 88833097
Mob: 0086 180 3291 2353



WhatsApp: 0086 180 3291 2353
Skype: 0086 180 3291 2353



www.linklandcn.com
Veronica@linklandfence.com



Corral Panels

Corral panel, also known as livestock panel, is a kind of welded steel tube fence for cattle, horse, sheep and other livestock.

Generally, it is made of square, oval or round tubes and have high strength and solid structure.

It can sit directly on the ground for temporary or permanent fencing to keep cattle or sheep safe and free from wild animal attacks.

We have cattle & sheep panels of different heights, lengths and number of rails for you to choose from.

Rail type

According to the rail type, our corral panels can be divided into three types as shown below.

⊕ round rail style



⊕ square rail style




⊕ oval rail with square post style



Specification

- A Height:** 950 mm, 1000 mm, 1800 mm
- B Width:** 2100 mm, 2900 mm
- C Horizontal Rail:** round rail (32 mm OD, 42 mm OD); square rail (40 × 40 mm, 50 × 50 mm); oval rail (30 × 60 mm, 40 × 80 mm, 42 × 115 mm, 50 × 70 mm)
- D Vertical Pipe:** round pipe (32 mm OD, 42 mm OD); square pipe (40 × 40 mm, 50 × 50 mm)
- E U lug** **F L lug**



⊕ Specification of Cattle Panels

Round Rail Style	Height × Length	1.8 m × 2.1 m
	Horizontal rails	32 mm OD, 42 mm OD (6 round rails)
	Vertical pipe	32 mm OD, 42 mm OD
	Thickness	1.6 mm, 2.0 mm
	Material	Pre hot dipped galvanized steel pipe
	Accessories	4 lugs, 2 rain caps are welded on panels. 2 pins are included in one panel.
Square Rail Style	Height × Length	1.8 m × 2.1 m
	Horizontal rails	40 × 40 mm, 50 × 50 mm (6 square rails)
	Vertical pipe	40 × 40 mm, 50 × 50 mm
	Thickness	1.6 mm, 2.0 mm
	Material	Pre hot dipped galvanized steel pipe
	Accessories	2 U lugs, 2 L lugs, 2 rain caps and 2 bases are welded on panels. 2 pins are included in one panel.
Oval Rail with Square Post Style	Height × Length	1.8 m × 2.1 m
	Horizontal rails	30 × 60 mm, 40 × 80 mm, 42 × 115 mm, 50 × 70 mm (6 oval rails)
	Vertical pipe	40 × 40 mm, 50 × 50 mm
	Thickness	1.6 mm, 2.0 mm
	Material	Pre hot dipped galvanized steel pipe
	Accessories	2 U lugs, 2 L lugs, 2 rain caps and 2 bases are welded on panels. 2 pins are included in one panel.

⊕ Specification of Sheep Panels

Round Rail Style	Height × Length	0.95 m × 2.1 m, 1 m × 2.1 m, 1 m × 2.9 m
	Horizontal rails	32 mm OD, 42 mm OD (5 or 6 round rails)
	Vertical pipe	32 mm OD, 42 mm OD
	Thickness	1.6 mm, 2.0 mm
	Material	Pre hot dipped galvanized steel pipe
	Accessories	4 lugs, 2 rain caps are welded on panels. 2 pins are included in one panel.
Square Rail Style	Height × Length	0.95 m × 2.1 m, 1 m × 2.1 m, 1 m × 2.9 m
	Horizontal rails	40 × 40 mm, 50 × 50 mm (5 or 6 square rails)
	Vertical pipe	40 × 40 mm, 50 × 50 mm
	Thickness	1.6 mm, 2.0 mm
	Material	Pre hot dipped galvanized steel pipe
	Accessories	2 U lugs, 2 L lugs, 2 rain caps and 2 bases are welded on panels. 2 pins are included in one panel.
Oval Rail with Square Post Style	Height × Length	0.95 m × 2.1 m, 1 m × 2.1 m, 1 m × 2.9 m
	Horizontal rails	30 × 60 mm, 40 × 80 mm, 42 × 115 mm, 30 × 112 mm (5 or 6 oval rails)
	Vertical pipe	40 × 40 mm, 50 × 50 mm
	Thickness	1.6 mm, 2.0 mm
	Material	Pre hot dipped galvanized steel pipe
	Accessories	2 U lugs, 2 L lugs, 2 rain caps and 2 bases are welded on panels. 2 pins are included in one panel.



Production Flow Chart

+ Step 1

Galvanized steel pipe

+ Step 2

Pipe cutting

+ Step 3

Panel welding

+ Step 4

Panel spraying

+ Step 5

Surface cleaning

+ Step 6

Finished corral panels



Step 1



Step 2



Step 3



Step 4



Step 5



Step 6

Package & Delivery



CORRAL PANEL PACKAGE



CORRAL PANEL DELIVERY



Features & Application

Features

⊕ Portable

It can be removed easily and can be transported to everywhere you want.

⊕ Sturdy

The high quality steel tube offers great strength and creates a sturdy structure without deformation.

⊕ Versatile

A variety of specifications for cow, cattle or sheep at different grow stages.

⊕ Comfort

It creates enough space allowing animals walk freely and making them feel safe, relaxed and ease.

⊕ Convenience

Easy & quick installation and removal.

⊕ Durable

High quality raw materials (galvanized steel tube) ensures its great corrosion, rust and weather resistance performances and extends its service life.

Application

Cattle panels & sheep panels are widely used in farms, pastures and other places for temporary or permanent security fence for cattle, sheep, horses and other large animals.



FARM



PASTURE



CATTLE YARD



CATTLE



SHEEP



SHEEP YARD



LINKLAND™

ANPING LINKLAND

WIRE MESH PRODUCT CO., LTD



Weimin East Street, No. 69-70
The Filter Industrial Park of Anping
County, HEBEI, CHINA. 053600



Tel: 0086 311 88833097
Mob: 0086 180 3291 2353



WhatsApp: 0086 180 3291 2353
Skype: 0086 180 3291 2353



www.linklandcn.com
Veronica@linklandfence.com

